

SmartAIO Series U7-300T PRODUCT BROCHURE



Ultra-compact Industrial PC with 1 x VGA, 3 x UARTs (2 x RS-232/422/485, 1 x RS-232)

Part number: U7-300T

Features

- Rich I/O design:
 - 1 x full length mini-PCIe + USIM
 - 1 x half length mini-PCIe
 - 1 x mSATA, 1 x SATA
 - 8-bit isolation GPI, 8-bit isolation GPO
 - 2 x GbE
 - 4 x USB 3.0, 3 x UART
- Wide Range DC Voltage Input: 9V~32V
- 3rd Gen. Intel® Atom™ Processor, Celeron® Processor Bay Trail platform
- Dimension: 138 x 100 x 57mm (5.43"x 3.93"x 2.24")

System

CPU	Intel® Celeron® J1900 Quad Core 2.00GHz, L2 cache 2MB Intel® Celeron® N2807 Dual Core 1.58GHz, L2 cache 1MB
Chipset	SoC integrated
BIOS	AMI Aptio® UEFI 2.x firmware
Graphics	Intel® Gen.7 HD Graphics
System Memory	Base on CPU Modules, Max to 8GB
Storage	1 x mSATA and 1 x SATA connector 2 x mSATA (Optional) 2.5"HDD/SSD (Optional) CFast slot (Optional) 1 x push-push USIM slot
Watchdog Timer	Multistage watchdog
I/O	4 x USB 3.0/2.0 2 x RS-232/422/485, 1 x RS-232 1 x HDMI

* All product specifications are subject to change without notice

Email: sales@vetron.com.au

ABN: 21 141 474 017

Business number +61 (07) 5576 3672

Head Office: Unit 2, 62 Township Drive, West
Burleigh. Qld. 4219.



1 x VGA
1 x 8-bit Isolation GPI
1 x 8-bit Isolation GPO
2 x GbE Ethernet
1 x Audio (Line-out), 1 x MIC
1 x Power Button
1 x LED for (HDD/SSD)

Expansion Slot	1 x full-size PCI Express Mini card (PCIe+USB+USIM)
	1 x half-size PCI Express Mini card (PCIe+USB)
	1 x USB2.0 internal
Power Supply	2-Pin Terminal Block DC Input 9V~32V±5%
	DC internal Output 5V/0.75A, 12V/0.75A
Dimensions	138mm x 100mm x 57 mm

Environmental

Operating Temperature	0°C ~ +60°C
	-20°C ~ +70°C (Optional)
Storage Temperature	-45°C ~ +85°C
Operating Humidity	10% - 90% (non-condensing)
Storage Humidity	5% - 95% (non-condensing)
Certificate	CE / FCC class A
Optional OS Installation	Microsoft® Windows 8
	Microsoft® Windows 8 embedded
	Microsoft® Windows 7
	Microsoft® Windows 7 embedded compact
	Linux

* All product specifications are subject to change without notice